




# **DAYANANDA SAGAR COLLEGE OF DENTAL SCIENCES**

(Affiliated to Rajiv Gandhi University of Health Sciences, Karnataka)  
(Recognised by Dental Council of India, New Delhi)



---

## **Response to the DVV clarification:**

### **7.1.5. Water conservation facilities available in the Institution:**

# MAHATMA GANDHI VIDYA PEETHA TRUST

Shavige Malleshwara Hills, Kumaraswamy Layout,

Bangalore - 560 078,

Tel : 080-26662226, 26661104, 26660789 Telefax : 080-26660789

**Dr. D. Hemachandra Sagar, M.B.B.S.,M.S.,**  
President



**Gallswamy B.A.,**  
Secretary

Ref. ....

Date .....

## TO WHOMSOEVER IT MAY CONCERN

This is to certify that the construction and maintenance of the facilities such as collection tank, rainwater harvesting collection pits, ramps and disable friendly washrooms along with other construction and maintenance works is centralized for Dayananda Sagar Institutions and the accounts have been managed by the Mahatma Gandhi Vidya Peetha trust itself. Dayananda Sagar College of Dental Sciences, a unit of the trust utilizes the above said facilities for which the expenditure towards supply and maintenance is paid by the Mahatma Gandhi Vidya trust. Since it is a centralized facility a separate construction and maintenance report of the dental college is not available.

  
SECRETARY

Secretary

**Mahatma Gandhi Vidya Peetha Trust**  
Shavige Malleshwara Hills, Kumaraswamy Layout,  
Bangalore - 560 111,

**MAHATMA GANDHI VIDHYA PEETHA TRUST**

SI NO	Name of the labour contractor	Particulars	Unit	Rate	Previous Measurement		Present Measurement		Total Up to Date	ESI @ 4%	TDS @ 0.75%	Net Amount Payable	Retention money
					Quantity	Amt	Quantity	Amt					
1	Sri. D. Thimmappa	Labour charges for Rain water harvesting work at DSI Campus ( Filter chamber & rain water recharging pit to old well )											
		1) 6" Pipe line earth work & pipe fixing - 40m	Job Nos	7300.00 200.00			1.0 6.0	7300.00 1200.00					
		2) 12" Bore work											
		3) 2x2 Chamber fixing,plastering work & Chamber cover fixing	Nos	2900.00			4.00	1 1600.00					
		4) Chamber line earth work	Nos	1000.00			4.00	4000.00					
		5) Mud levelling & Excess mud shift charges	LS					6300.00					
		6) Chipping work	LS					5500.00					
		7) Rain water harvesting well ring charges (Supply & Fix)	Nos	1550.00			30.00	46500.00					
		8) Rain water harvesting well pit earth work charges	Nos	5500.00			3.00	16500.00					
		<b>Total payable</b>						<b>98900.00</b>		3956.00	742.00	<b>94202.00</b>	
		<b>TOTAL</b>								3956.00	742.00	<b>94202.00</b>	

15

9/8/2020


VERIFIED AND RECOMMENDED FOR PAYMENT  
 N.K. RAGHU ENGINEER  
 CHIEF ENGINEER

APPROVED AND PASSEOR PAYMENT  
 CHAIRMAN

**PRINCIPAL**  
 Dayananda Sagar College of Dental Sciences  
 Kumaraswamy Layout,  
 Bangalore - 560 078.

Forwarded to account section for necessary payments after due arithmetical check.

PROPOSED FILTER CHAMBER & RAIN WATER RECHARGING PIT TO OLD WELL



*Handwritten signature and date: 18/08/2020*

*Principal  
Kumaravaram College of Dental Sci  
Bangalore - 560 078*

P A R K I N G

# MAHATMA GANDHI VIDYA PEETHA TRUST

Shavige Malleshwara Hills, Kumaraswamy Layout,  
Bangalore - 560 078.

Tel : 080-26662226, 26661104, 26660789 Telefax : 080-26660789

**Dr. D. Hemachandra Sagar**, M.B.B.S.,M.S.,  
President



**Galiswamy B.A.**,  
Secretary

Ref. ....

Date .....

## TO WHOMSOEVER IT MAY CONCERN

This is to certify that the construction and maintenance of the facilities such as collection tank, rainwater harvesting collection pits, ramps and disable friendly washrooms along with other construction and maintenance works is centralized for Dayananda Sagar Institutions and the accounts have been managed by the Mahatma Gandhi Vidya Peetha trust itself. Dayananda Sagar College of Dental Sciences, a unit of the trust utilizes the above said facilities for which the expenditure towards supply and maintenance is paid by the Mahatma Gandhi Vidya trust. Since it is a centralized facility a separate construction and maintenance report of the dental college is not available.

SECRETARY

Secretary  
Mahatma Gandhi Vidya Peetha Trust  
Shavige Malleshwara Hills, Kumaraswamy Layout,  
Bangalore - 560 111,

**ABSTRACT BILL OF LABOUR BILL PAYABLE FOR THE PERIOD UP TO 13.07.2022**

**MAHATMA GANDHI VIDYA PEETHA TRUST**

SI NO	Name of the labour contractor	Particulars	Unit	Rate		Previous Measurement		Present Measurement		Total Up to Date	ESI @ 4%	Tds @ 1%	Net Amount Payable	Retention money
				Rs		quity	Amt	quity	Amt					
1	Sri D Thimmappa	<b>Labour charges for Sanitary Main</b> Connection work near Gate No 02 1) Pipe line work - sanitary Main 6" & 8" Pipe fixing work 2) Earth work bank front side 3) Earth work bank back side 4) Concrete chipping machine wall 5) 12" Retaining wall foundation 6) Earthwork mud refilling charges 7) Chamber line earthwork & Chamber bottom 8) Materials shifting labour charges 9) Civil work patch work 10) Sanitary chamber cleaning 11) Old sanitary connection <b>Total payable</b>	LS Cft Cft LS Nos LS Nos LS LS LS LS	6500.00 22.00 22.00 6800.00 800.00 5600.00 5500.00 6500.00 4000.00 6000.00 3800.00	1.00 600.00 720.00 1.00 4.00 1.00 5.00 1.00 1.00 1.00 1.00	6500.00 13200.00 15840.00 6800.00 3200.00 5600.00 27500.00 6500.00 4000.00 6000.00 3800.00 <b>98940.00</b>								
<b>TOTAL</b>											3958.00	989.00	93993.00	

Handwritten notes: 9/6/22, Ch-m, 14/07/2022

VERIFIED AND RECOMMENDED FOR PAYMENT

N.K. RAGHU  
CHIEF ENGINEER

APPROVED AND PASSED FOR PAYMENT

Handwritten signature

CHAIRMAN

Principal  
 Ananda Sagar College of Dental Science  
 Kumaraswari  
 Here - 560011

Forwarded to account section for necessary payments after due arithmetical check.



# DAYANANDA SAGAR INSTITUTIONS

Xerox copy for reference

Ame

Dt: 06.05.2022



DSI/WO/General-019/2022-2023

M/s. L & S Environmental Systems  
# 50, 2ne floor, Jyanajyothi Nagar,  
Shivananda Block, Ullal Main Road,  
Bangalore – 560 056  
GST No: 29AFLPL6495E1ZW

Sub: Work Order for Operation and Maintenance of Sewage Treatment Plant installed in Campus I.

S.N	Particulars	Maintenance	Amount
01	Operation & Maintenance of sewage treatment plant including chemical consumables	24/7 operations	52000.00
02	Charges for STP sample drawn, analysis reports & monthly test reports returns submitting to KSPCB	Once in a month	12000.00
	<b>Sub Total</b>		<b>64000.00</b>
	Add: SGST @ 9%		5760.00
	Add: CGST @ 9%		5760.00
	<b>Total</b>		<b>75520.00</b>

**Terms and Conditions:-**

1. Refer your quotation Ref/STP-Service/Quote/2019 dt: 25.11.2019 and subsequent discussion.
2. O & M Period : from 06.05.2022 to 05.05.2023
3. This O&M contract period is for one year and renewal will be based on satisfactory of service and performance.
4. DSI reserves right to cancel the O&M contract without any notice, if service is not satisfactory.
5. Service provider should ensure the STP process operation and maintenance as per the standard norms and specification.
6. O&M contractor should submit the water quality test reports to Pollution Control Board as well as Sagar Hospital for their records every month without fail with in due date.
7. Service provider has to deploy qualified & skilled STP operators/manpower on 24/7 basis at our site to care of STP operation and process.
8. Service provider has to maintain daily log books, check list, shift duty roaster and service history records and documents at site.
9. Service provider has to provide required tools and tackle to carryout PM & maintenance at site.
10. Above charges are inclusive of providing manpower, supply of consumables & chemicals as required to maintain the plant.
11. Payment: Monthly basis on submission of bill, subject to certification and approval.
12. Necessary safety measures to be provided to your workers while working at our site. In event of any claims towards compensation arise due to any accidents, service provider are solely responsible.
13. Note our GST No: 29AAATM2020Q3ZC.

Thanking You,

Yours Sincerely,

  
Secretary

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore



# Sagar Hospitals - DSI

With You, For Life.  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 07.1.2023

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1st floor, " Nisarga Bhavana",  
Thimmalah Road, Shivnagar  
Bangalore

Dear Sir,

Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of JAN- 2023

Yours faithfully

*[Handwritten signature]*  
3/2/23

For M/s SAGAR HOSPITAL

Authorized Signatory

*[Handwritten signature]*  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences,  
Kumaraswamy Layout,  
Bangalore - 530 078.





# SLN TESTING LABORATORY



Recognized by : MOEF & CC and An ISO 9001 : 2015  
and OHSAS Certified Laboratory

# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT

Page No. 1 of 1

Report No : SLNTL23000100513	Report Date : 29/01/2023
Issued To: M/s. Sagar Hospital Kumarswamy Layout, Bangalore.	Customer Reference : Verbal
	Date of Receipt : 23/01/2023
	Date of test start : 23/01/2023
	Date of Completion of test : 29/01/2023
Sample Received By: Customer	Sample Particulars: STP Treated Water


Description: Colourless liquid having unobjectionable odour

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.35	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	8.0	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	7.2	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	46.0	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	8.5	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	2.0	5 Max
07	Fecal Coli form	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards. The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

**PRINCIPAL**  
Dayananda Sagar College of Dental Science  
Kumarswamy Layout,  
Bangalore - 560 078.



Authorised Signatory

Note : 1. The results listed pertain only to the tested samples and applicable parameters.  
2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified.  
3. All perishable samples will be destroyed immediately after tests conducted.  
4. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law.  
5. This report should not be used in any advertising media without prior written permission.



**Sagar Hospitals - DSI**

*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 07.1.2023

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of **JAN- 2023**


Yours faithfully

*[Handwritten Signature]*  
3/2/23

For M/s SAGAR HOSPITAL

Authorized Signatory

*[Handwritten Signature]*  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences,  
Kumaraswamy Layout,  
Bangalore - 560 076.





# SLN TESTING LABORATORY



Recognized by : MOEF & CC and An ISO 9001 : 2015  
and OHSAS Certified Laboratory

# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT

Page No. 1 of 1


Report No : SLNTL23000100513	Report Date : 29/01/2023
Issued To: M/s. Sagar Hospital Kumarswamy Layout, Bangalore.	Customer Reference : Verbal
	Date of Receipt : 23/01/2023
	Date of test start : 23/01/2023
Sample Received By: Customer	Date of Completion of test : 29/01/2023
	Sample Particulars: STP Treated Water


Description: Colourless liquid having unobjectionable odour

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.35	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	8.0	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	7.2	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	46.0	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	8.5	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	2.0	5 Max
07	Fecal Coli form	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
**PRINCIPAL**  
 Dayananda Sagar College of Dental Sciences  
 Kumarswamy Layout,  
 Bangalore - 560 058.



Authorised Signatory

Note : 1. The results listed pertain only to the tested samples and applicable parameters.  
 2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.  
 This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law  
 and should not be used in any advertising media without prior written permission.



# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory  
An ISO 9001 : 2015 and OHSAS Certified Laboratory  
# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.



Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT


Page No. 1 of 1

Report No : SLNTL220040861	Report Date : 30/04/2022
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bangaluru.	Customer Reference : Verbal
	Date of Receipt : 25/04/2022
	Date of test start : 25/04/2022
	Date of Completion of test : 30/04/2022
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.38	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	8.6	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	6.2	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	40.5	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	8.4	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	2.7	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science,  
Kumaraswamy Layout,  
Bangalore - 560 078.

Authorised Signatory

- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.



# DAYANANDA SAGAR INSTITUTIONS



Dt: 06.05.2022

DSI / WO / General-019/2022-2023

M/S. L & S Environmental Systems  
# 50, 2nd floor, Jyanajyothi Nagar,  
Shivananda Block, Ullal Main Road,  
Bangalore -- 560 056  
GST No: 29AFLPL6495E1ZW

Sub: Work Order for Operation and Maintenance of Sewage Treatment Plant installed in Campus I.


S. N	Particulars	Maintenance	Amount
01	Operation & Maintenance of sewage treatment plant including chemical consumables	24/7 operations	52000.00
02	Charges for STP sample drawn, analysis reports & monthly test reports returns submitting to KSPCB	Once in a month	12000.00
<b>Sub Total</b>			<b>64000.00</b>
Add: SGST @ 9%			5760.00
Add: CGST @ 9%			5760.00
<b>Total</b>			<b>75520.00</b>


### Terms and Conditions:-

1. Refer your quotation Ref/STP-Service/Quote/2019 dt: 25.11.2019 and subsequent discussion.
2. O & M Period : from 06.05.2022 to 05.05.2023
3. This O&M contract period is for one year and renewal will be based on satisfactory of service and performance.
4. DSI reserves right to cancel the O&M contract without any notice, if service is not satisfactory.
5. Service provider should ensure the STP process operation and maintenance as per the standard norms and specification.
6. O&M contractor should submit the water quality test reports to Pollution Control Board as well as Sagar Hospital for their records every month without fail with in due date.
7. Service provider has to deploy qualified & skilled STP operators/manpower on 24/7 basis at our site to care of STP operation and process.
8. Service provider has to maintain daily log books, check list, shift duty roaster and service history records and documents at site.
9. Service provider has to provide required tools and tackle to carryout PM & maintenance at site.
10. Above charges are inclusive of providing manpower, supply of consumables & chemicals as required to maintain the plant.
11. Payment: Monthly basis on submission of bill, subject to certification and approval.
12. Necessary safety measures to be provided to your workers while working at our site. In event of any claims towards compensation arise due to any accidents, service provider are solely responsible.
13. Note our GST No: 29AAATM2020Q3ZC.

Thanking You,

Yours Sincerely,

  
Secretary

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 073.



**Sagar  
Hospitals - DSI**

*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 04.05.2022

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmalah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of **APRIL- 2022**

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
**PRINCIPAL**  
Devananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078





**Sagar  
Hospitals - DSI**

*With You, For Life.*  
(Unit of Mahatma Gandhi Vidyapeetha Trust)



To.

Date: 04.04.2022

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1st floor, "Nisarga Bhavana",  
Thimmalah Road, Shivanagar  
Bangalore

Dear Sir,


Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of MARCH- 2022

Yours faithfully,

  
For M/s SAGAR HOSPITAL

Authorized Signatory

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078.





# SLN TESTING LABORATORY

Recognized by : MOEF & CC, An ISO 9001 : 2015  
and OHSAS Certified Laboratory



# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT

Page No. 1 of 1

Report No : SLNTL2200300973	Report Date : 26/03/2022
Issued To: M/s. Sagar Hospital Kumarswamy Layout, Bengaluru.	Customer Reference : Letter Dated 21/03/2022
	Date of Receipt : 22/03/2022
	Date of test start : 22/03/2022
	Date of Completion of test : 26/03/2022
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.61	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	6.0	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	4.0	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	33.9	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	7.1	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	1.4	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumarswamy Layout,  
Bangalore - 560 058.



Authorised Signatory

- Note : 1. The results listed pertain only to the tested samples and applicable parameters.  
2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.  
3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.  
4. Sampling not done by us, unless specified.





**Sagar  
Hospitals - DSI**

*With You, For Life.*

(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.03.2022

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore


Dear Sir,


**Sub: Submisslon of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of **FEB- 2022**

Yours faithfully

For M/s **SAGAR HOSPITAL**

  
Authorized Signatory

  
**PRINCIPAL**  
Dayananda Sagar College of Bental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.





# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory

An ISO 9001 : 2015 and OHSAS Certified Laboratory

# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Mob : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com



## TEST REPORT

Page No. 1 of 1


Report No : SLNTL2200200901	Report Date : 28/02/2022
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bengaluru.	Customer Reference : Letter Dated 22/02/2022
	Date of Receipt : 23/02/2022
	Date of test start : 23/02/2022
Sample Received By: Customer	Date of Completion of test : 28/02/2022
	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.84	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	9.2	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	6.0	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	40.5	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	8.6	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 076.



Authorised Signatory

- Note : 1. The results listed pertain only to the tested samples and applicable parameters.  
2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.  
3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the count of law and should not be used in any advertising media without prior written permission.  
4. Sampling not done by us, unless specified.



**Sagar  
Hospitals - DSI**  
*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.02.2022

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of JAN - 2022

Yours faithfully

For M/s SAGAR HOSPITAL

*[Handwritten Signature]*  
02/02/2022

Authorized Signatory

*[Handwritten Signature]*  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078





# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory  
An ISO 9001 : 2015 and OHSAS Certified Laboratory  
# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.



Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT

Page No. 1 of 1

Report No : SLNLT2200100610	Report Date : 28/01/2022
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bangalore.	Customer Reference : Letter Dated 21/01/2022
	Date of Receipt : 22/01/2022
	Date of test start : 22/01/2022
	Date of Completion of test : 28/01/2022
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.23	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	6.1	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	3.0	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	31.2	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	7.9	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.



**Sagar  
Hospitals - DSI**

*With You, For Life.*

(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 04.01.2022

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore


Dear Sir,


**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of **DEC - 2021**

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
**PRINCIPAL**  
Devananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 530 078.





# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory  
An ISO 9001 : 2015 and OHSAS Certified Laboratory  
# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.



Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT


Page No. 1 of 1

<b>Report No :</b> SLNLT210120911	<b>Report Date :</b> 30/12/2021
<b>Issued To:</b> M/s. Sagar Hospital Kumaraswamy Layout, Bangaluru.	<b>Customer Reference :</b> Letter Dated 24/12/2021
	<b>Date of Receipt :</b> 24/12/2021
	<b>Date of test start :</b> 24/12/2021
	<b>Date of Completion of test :</b> 30/12/2021
<b>Sample Received By:</b> Customer	<b>Sample Particulars:</b> STP Treated Water

<u>Sl. No</u>	<u>Parameters</u>	<u>Test Method</u>	<u>Units</u>	<u>Results</u>	<u>KSPCB Standard</u>
01	pH Value	IS:3025/Part-11	---	7.45	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	7.0	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	5.3	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	34.0	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	6.4	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

**Inference:** As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.

  
Authorised Signatory

- Note :**
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.

# Sagar Hospitals - DSI

With You, For Life.  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.12.2021

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmalah Road, Shivanagar  
Bangalore

Dear Sir,


Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of Nov - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science,  
Kumaraswamy Layout,  
Bangalore - 560 078.



# SIN TESTING LABORATORY



ISO 9001:2015 & CC and NABL Accredited Laboratory  
ISO 14001:2015 and OHSAS Certified Laboratory  
Plot No. 10, Pipeline Road, Laggere, Bangalore - 560 058.  
Phone: 080-2654098, E-mail: slntestinglaboratory@gmail.com, Web: www.slntabs.com

## TEST REPORT


Page No. 1 of 1

Report No : SLNLT210110862	Report Date : 29/11/2021
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bangalore.	Customer Reference : Letter Dated 22/11/2021
	Date of Receipt : 23/11/2021
	Date of test start : 23/11/2021
	Date of Completion of test : 29/11/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11		7.59	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	8.5	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	6.6	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	40.1	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	7.9	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	1.4	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
Principal  
Sayananda Sagar College of Mental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.





**Sagar  
Hospitals - DSI**

*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 02.11.2021

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of Oct - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.

  
8/11/21



# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory  
An ISO 9001 : 2015 and OHSAS Certified Laboratory  
# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.



Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.cc

## TEST REPORT


Page No. 1 of 1

Report No : SLNTL210100221	Report Date : 26/10/2021
Issued To: M/s. Sagar Hospital Kumarswamy Layout, Bengaluru.	Customer Reference : Letter Dated 20/10/2021
	Date of Receipt : 21/10/2021
	Date of test start : 21/10/2021
	Date of Completion of test : 26/10/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.32	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	5.0	10 Max
03	Biochemical Oxygen Demand (5days @20°C)	IS:3025/Part-44	mg/L	4.1	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	26.5	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	6.3	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
**PRINCIPAL**  
Sayananda Sagar College of Dental Science  
Kumarswamy Layout,  
Bangalore - 560 078.



Authorised Signatory

- Note : 1. The results listed pertain only to the tested samples and applicable parameters.  
2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.  
3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.  
4. Sampling not done by us, unless specified.

To.

Date: 02.10.2021

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1, st floor, " Nisarga Bhavana",  
Thimmalah Road, Shivanagar  
Bangalore


Dear Sir,

Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of Sep - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
PRINCIPAL  
Bhavananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078.





# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory

An ISO 9001 : 2015 and OHSAS Certified Laboratory

# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com



## TEST REPORT


Page No. 1 of 1

Report No : SLNTL210090920	Report Date : 28/09/2021
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bangalore.	Customer Reference : Letter Dated 22/09/2021
	Date of Receipt : 23/09/2021
	Date of test start : 23/09/2021
	Date of Completion of test : 28/09/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.45	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	8.0	10 Max
03	Biochemical Oxygen Demand (5days @20°C)	IS:3025/Part-44	mg/L	6.5	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	38.2	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	7.8	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
PRINCIPAL  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.

  
Authorised Signatory

- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.



**Sagar  
Hospitals - DSI**  
*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.09.2021

The Environmental Officer,  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore


Dear Sir,

Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of Aug - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory





PRINCIPAL  
Ramananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078

Shavige Malléshwara Hills, Kumaraswamy Layout, Banashankari, Bangalore - 560 078, INDIA.

Ph : +91 80 42 999 999, +91 80 42 999 000. Fax : +91 80 42 999 050

E-mail : infobsk@sagarhospitals.in Website : www.sagarhospitals.in



# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory  
An ISO 9001 : 2015 and OHSAS Certified Laboratory  
# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.



Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT

Page No. 1 of 1

Report No : SLNTL2100800632	Report Date : 30/08/2021
Issued To: M/s. Sagar Hospital Kumarswamy Layout, Bengaluru.	Customer Reference : Letter Dated 23/08/2021
	Date of Receipt : 24/08/2021
	Date of test start : 24/08/2021
	Date of Completion of test : 30/08/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.58	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	6.5	10 Max
03	Biochemical Oxygen Demand (5days @20°C)	IS:3025/Part-44	mg/L	4.0	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	30.2	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	6.3	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
PRINCIPAL  
Ananda Sagar College of Dental Sciences  
Kumarswamy Layout,  
Bangalore - 560 078.

  
Authorised Signatory

- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.



**Sagar  
Hospitals - DSI**  
*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 04.08.2021

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of July - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
**PRINCIPAL**  
Mananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078.



Shavige Malleshwara Hills, Kumaraswamy Layout, Banashankari, Bangalore - 560 078, INDIA.  
Ph : +91 80 42 999 999, +91 80 42 999 000 Fax : +91 80 42 999 050  
E-mail : infobsk@sagarhospitals.in Website : www.sagarhospitals.in

# SLN TESTING LABORATORY



Recognized by : MOEF & CC and NABL Accredited Laboratory

An ISO 9001 : 2015 and OHSAS Certified Laboratory

# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Ph. = 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT

Page No. 1 of 1

Report No : SLNLT2100700689	Report Date : 27/07/2021
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bengaluru.	Customer Reference : Letter Dated 21/07/2021
	Date of Receipt : 22/07/2021
	Date of test start : 22/07/2021
	Date of Completion of test : 27/07/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.69	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	5.0	10 Max
03	Biochemical Oxygen Demand (5days @20°C)	IS:3025/Part-44	mg/L	2.5	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	22.0	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	5.4	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

PRINCIPAL

Mananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not be reproduced either wholly or in part and can not be used as evidence in the count of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.





**Sagar  
Hospitals**  
Jayanagar, Bangalore



To,

Date: 08.06.2021

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1st floor, "Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,


Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of May - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
**PRINCIPAL**  
Bhayananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078.





# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory

An ISO 9001 : 2015 and OHSAS Certified Laboratory

# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Mob. : 9844096162, 9538988098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com



## TEST REPORT

Page No. 1 of 1

Report No. : SLNTL2100500572	Report Date : 27/05/2021
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bangalore.	Customer Reference : Letter Dated 20/05/2021
	Date of Receipt : 21/05/2021
	Date of test start : 21/05/2021
	Date of Completion of test : 27/05/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.49	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	9.2	10 Max
03	Biochemical Oxygen Demand (5days @20°C)	IS:3025/Part-44	mg/L	4.0	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	39.6	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	7.9	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
PRINCIPAL

Dnyananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.
  4. Samples not destroyed

To,

Date: 12.05.2021

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1st floor, "Nisarga Bhavana",  
Mammaiah Road, Shivvanagar  
Bangalore

Dear Sir,

Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of Apr - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

  
**PRINCIPAL**  
Anananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.





# SLN TESTING LABORATORY

Recognized by : MOEF & CC and NABL Accredited Laboratory  
An ISO 9001 : 2015 and OHSAS Certified Laboratory

# 15, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Mob. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com



## TEST REPORT

Page No. 1 of 1

Report No. : SLNLT2100400534	Report Date : 26/04/2021
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bangaluru.	Customer Reference : Verbal
	Date of Receipt : 20/04/2021
	Date of start of test : 20/04/2021
	Date of Completion of test : 26/04/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.32	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	7.8	10 Max
03	Biochemical Oxygen Demand (5days @20°C)	IS:3025/Part-44	mg/L	5.4	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	33.0	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	6.0	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

  
**PRINCIPAL**  
 Jayananda Sagar College of Dental Sciences  
 Kumaraswamy Layout,  
 Bangalore - 560 078.



- Note : 1. The results listed pertain only to the tested samples and applicable parameters.  
 2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.  
 3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.



**Sagar  
Hospitals - DSI**

*With You, For Life.*

(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 02.04.2021

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, "Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of March - 2021

Yours faithfully

For M/s SAGAR HOSPITAL

*Chelle*  
*08/04/2021*  
Authorized Signatory



*H*

PRINCIPAL  
Ananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078

Shavige Malleshwara Hills, Kumaraswamy Layout, Banashankari, Bangalore - 560 078, INDIA.

Ph : +91 80 42 999 999, +91 80 42 999 000. Fax : +91 80 42 999 050

E-mail : infobsk@sagarhospitals.in Website : www.sagarhospitals.in



# SLN TESTING LABORATORY



Recognized by : MOEF & CC and NABL Accredited Laboratory  
An ISO 9001 : 2015 and OHSAS Certified Laboratory

# 15, 1st Floor, Premnagar, Pipeline Road, Laggere, Bangalore - 560 058.

Ph. : 9844086162, 9538888098, E-mail : slntestinglaboratory@gmail.com, Web : www.slnlabs.com

## TEST REPORT

Page No. 1 of 1

Report No : SLNLT2100300236	Report Date : 27/03/2021
Issued To: M/s. Sagar Hospital Kumaraswamy Layout, Bangalore.	Customer Reference : Verbal
	Date of Receipt : 23/03/2021
	Date of start of test : 23/03/2021
	Date of Completion of test : 27/03/2021
Sample Received By: Customer	Sample Particulars: STP Treated Water

Sl. No	Parameters	Test Method	Units	Results	KSPCB Standard
01	pH Value	IS:3025/Part-11	---	7.47	6.5 - 9.0
02	Total Suspended Solids	IS:3025/Part-17	mg/L	14.0	20 Max
03	Biochemical Oxygen Demand (3days @27°C)	IS:3025/Part-44	mg/L	6.8	10 Max
04	Chemical Oxygen Demand	IS:3025/Part-58	mg/L	35.2	50 Max
05	Total Nitrogen	IS:3025/Part-34	mg/L	7.1	10 Max
06	Ammonical Nitrogen as NH <sub>4</sub> -N	IS:3025/Part-34	mg/L	<1.0	5 Max
07	Fecal Coliform	IS 1622-1981	MPN/100ml	<2	100 Max

Inference: As per KSPCB Standards, The above tested results are within the standards.

\*\*\*\*\*End of the Report\*\*\*\*\*

**PRINCIPAL**

Devananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



Authorised Signatory

- Note :
1. The results listed pertain only to the tested samples and applicable parameters.
  2. Samples will be destroyed after 15 days from the date of issue of test certificates unless & otherwise specified and all perishable samples will be destroyed immediately after tests conducted.
  3. This report is not be reproduced either wholly or in part and can not be used an evidence in the count of law and should not be used in any advertising media without prior written permission.
  4. Sampling not done by us, unless specified.



**Sagar  
Hospitals - DSI**  
*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.11.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of OCT - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

*Chellam*  
02/11/2020  
Authorized Signatory

*H. U.*  
**PRINCIPAL**

Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.





ಬೆಂಗಳೂರು ವಿಶ್ವವಿದ್ಯಾನಿಲಯ

# Bangalore Analytical Research Center (P). Ltd.

ISO9001:2008,KSPCB

#37/143, 9<sup>th</sup> main road, 3<sup>rd</sup> phase,  
Peenya, Bangalore-560058,  
Tel: 080 41245999 Telefax: 41171185,  
e-mail: enquiry@barcindia.com,  
Web: www.barcindia.com

## TEST REPORT

Page : 1 of 1

### Address of the Customer:

Sagar Hospitals,  
DSI-1, Kummaraswamy Layout  
Bangalore.

Report No. : WWD/2020/10/0461

Date of Receipt : 20/10/2020

Date of Analysis : 20/10/2020

Date of Completion : 28/10/2020

Date of Report : 28/10/2020

Job Order No. : WWD/2020/10/0461

Sampling Type : Grab

Sampling Point : After Filtration Tank

Your Reference : Verbal

Sample Particulars : STP Treated water

Date of Sampling : 20/10/2020

Sample Qty. : 2Ltrs+250ml

Sample Marked : N.S

Sample Description : Colourless liquid having unobjectionable odor.

Sl. No.	Tests	Units	Result	Tolerance Limits as per KSPCB	Test Method
<b>Chemical Test-Environment</b>					
1	pH Value	----	7.4	6.5-9.0	IS3025(Part-11):1983(Reaff:2017)
2	Biochemical Oxygen Demand,3Days@27°C	mg/L	9.0	Not more than 10	IS3025(Part-44):1993(Reaff:2014)
3	Chemical Oxygen Demand as O <sub>2</sub>	mg/L	35.0	Not more than 50	IS3025(Part-58):2006(Reaff:2017)
4	Total Suspended Solids	mg/L	8.0	Not more than 20	IS3025(Part-17):1996(Reaff:2017)
5	Ammonical Nitrogen	mg/L	<1.0(BDL)	Not more than 5	IS3025(Part-34):1988(Reaff:2014)
6	Total Nitrogen as N	mg/L	6.0	Not more than 10	IS3025(Part-34):1988(Reaff:2014)
<b>Microbiological Test-Environment</b>					
1	Faecal Coliform	MPN/100ml	<1	Less than 100	IS1622-1981(Reaff:2019)

Note:

1)Sample Preserved@2-8°C,2)N.S:Not Specified.

3)BDL:Below Detection Limit,4)<1 Indicates Absent.

\*\*\*End of Report\*\*\*

Principal

Devananda Sagar College of Dental Sciences  
Kummaraswamy Layout,  
Bangalore - 560 073

Tested by

Authorised Signatory





**Sagar  
Hospitals - DSI**  
*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 02.09.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, "Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of Aug - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

*Challa*  
2/9/2020  
Authorized Signatory

*H*  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy  
Bangalore





# BARC

ಬೆಂಗಳೂರು ವಿಶ್ವವಿದ್ಯಾನಿಲಯ

## Bangalore Analytical Research Center (P). Ltd.

NABL, ISO 9001 : 2015, OHSAS 18001:2007

#37/143, 9<sup>th</sup> main road, 3<sup>rd</sup> phase,  
Peenya, Bangalore-560058,  
Tel: 080 41245999 Telefax: 41171185,  
e-mail: enquiry@barcindia.com,  
Website: www.barcindia.com

### TEST REPORT

**Address of the Customer:**

Sagar Hospitals.  
DSI-1, Kumaraswamy Layout  
Bengaluru.

Report No. : WWD/2020/09/0462  
Date of Receipt : 19/09/2020  
Date of Analysis : 19/09/2020  
Date of Completion: 25/09/2020  
Date of Report : 25/09/2020  
Job Order No. : WWD/2020/09/0462  
Sampling Type : Grab  
Sampling Point : After Filtration Tank  
Your Reference : Verbal

Sample Particulars : STP Treated water

Date of Sampling : 19/09/2020  
Sample Qty. : 2Ltrs+250ml  
Sample Marked : N.S

Sample Description : Colourless liquid having unobjectionable odor.

Sl. No.	Tests	Units	Result	Tolerance Limits as per KSPCB	Test Method
<b>Chemical Test-Environment</b>					
1	pH Value	----	7.4	6.5-9.0	IS3025(Part-11):1983(Reaff:2017)
2	Biochemical Oxygen Demand, 3Days@27°C	mg/L	4.0	Not more than 10	IS3025(Part-44):1993(Reaff:2014)
3	Chemical Oxygen Demand as O2	mg/L	14.0	Not more than 50	IS3025(Part-58):2006(Reaff:2017)
4	Total Suspended Solids	mg/L	5.0	Not more than 20	IS3025(Part-17):1996(Reaff:2017)
5	Ammonical Nitrogen	mg/L	<1.0(BDL)	Not more than 5	IS3025(Part-34):1988(Reaff:2014)
6	Total Nitrogen as N	mg/L	6.0	Not more than 10	IS3025(Part-34):1988(Reaff:2014)
<b>Microbiological Test-Environment:</b>					
1	Faecal Coliform	MPN/100 ml	<1	Less than 100	IS1622-1981(Reaff:2019)

Note:

- 1) Sample Preserved @ 2-8°C, 2) N.S: Not Specified.
- 3) BDL: Below Detection Limit, 4) <1 Indicates Absent.

\*\*\*End of Report\*\*\*

**PRINCIPAL**  
Dayananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560073.

*[Signature]*  
Microbiologist

*[Signature]*  
Sr. Microbiologist

*[Signature]*  
Authorised Signatory

Tested by *[Signature]*  
Chemist



**Sagar  
Hospitals - DSI**  
*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.08.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of July - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

  
03/08/2020  
Authorized Signatory



  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078.



ग्लोबल इटोलुटिअन्स

# Bangalore Analytical Research Center (P). Ltd.

ISO9001:2008,KSPCB

#37/143, 9<sup>th</sup> main road, 3<sup>rd</sup> phase,  
Peenya, Bangalore-560058,  
Tel: 080 41245999 Telefax: 41171185,  
e-mail: enquiry@barcindia.com,  
Web: www.barcindia.com

Page : 1 of 1

## TEST REPORT

### Address of the Customer:

Sagar Hospitals.  
DSI-1,Kumaraswamy Layout  
Bengaluru.

Report No. WWD/2020/08/0479  
Date of Receipt 20/08/2020  
Date of Analysis 20/08/2020  
Date of Completion 26/08/2020  
Date of Report 26/08/2020  
Job Order No. WWD/2020/08/0479  
Sampling Type Grab  
Sampling Point After Filtration Tank  
Your Reference Verbal

Sample Particulars STP Treated water

Date of Sampling 20/08/2020

Sample Qty. 2Ltrs+250ml

Sample Marked N.S

Sample Description : Colourless liquid having unobjectionable odor.

Sl. No.	Tests	Units	Result	Tolerance Limits as per KSPCB	Test Method
<b>Chemical Test-Environment</b>					
1	pH Value	---	7.1	6.5-9.0	IS3025(Part-11):1983(Reaff:2017)
2	Biochemical Oxygen Demand,3Days@27°C	mg/L	6.0	Not more than 10	IS3025(Part-44):1993(Reaff:2014)
3	Chemical Oxygen Demand as O <sub>2</sub>	mg/L	21.0	Not more than 50	IS3025(Part-58):2006(Reaff:2017)
4	Total Suspended Solids	mg/L	6.0	Not more than 20	IS3025(Part-17):1996(Reaff:2017)
5	Ammonical Nitrogen	mg/L	<1.0(BDL)	Not more than 5	IS3025(Part-34):1988(Reaff:2014)
6	Total Nitrogen as N	mg/L	7.0	Not more than 10	IS3025(Part-34):1988(Reaff:2014)
<b>Microbiological Test-Environment</b>					
1	Faecal Coliform	MPN/10 0ml	<1	Less than 100	IS1622-1981RA 2014

### Note:

- 1)Sample Preserved@2-8°C,2)N.S:Not Specified.
- 3)BDL:Below Detection Limit,4)<1 Indicates Absent.

  
**PRINCIPAL**  
Nayananda Sagar College of Dental Science  
Kumaraewar...  
Bangalore

  
Tested by

  
Authorised Signatory



**Sagar  
Hospitals -DSI**

*With You, For Life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.10.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of SEP - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

*Chellay*  
09/10/2020  
Authorized Signatory

*H* ✓  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078.



## TEST REPORT

Page : 1 of 1

**Address of the Customer:**

Sagar Hospitals,  
DSI-1, Kumaraswamy Layout  
Bangalore, U.

Report No. WWD/2020/07/0570

Date of Receipt 25/07/2020

Date of Analysis 25/07/2020

Date of Completion 29/07/2020

Date of Report 29/07/2020

Job Order No. WWD/2020/07/0570

Sampling Type Grab

Sampling Point After Filtration Tank

Your Reference Verbal

Sample Particulars STP Treated water

Date of Sampling 25/07/2020

Sample Qty. 2Ltrs+250ml


Sample Marked N.S

Sample Description : Colourless liquid having unobjectionable odor.

Sl. No.	Tests	Units	Result	Tolerance Limits as per KSPCB	Test Method
<b>Chemical Test-Environment</b>					
1	pH Value	---	7.4	6.5-9.0	IS3025(Part-11):1983(Reaff:2017)
2	Biochemical Oxygen Demand, 3Days@27°C	mg/L	6.0	Not more than 10	IS3025(Part-44):1993(Reaff:2014)
3	Chemical Oxygen Demand as O <sub>2</sub>	mg/L	20.0	Not more than 50	IS3025(Part-58):2006(Reaff:2017)
4	Total Suspended Solids	mg/L	5.0	Not more than 20	IS3025(Part-17):1996(Reaff:2017)
5	Ammonical Nitrogen	0 mg/l	<1.0(BDL)	Not more than 5	IS3025(Part-34):1988(Reaff:2014)
6	Total Nitrogen as N	mg/L	8.0	Not more than 10	IS3025(Part-34):1988(Reaff:2014)
<b>Microbiological Test-Environment</b>					
1	Faecal Coliform	MPN/10 Oml	<1	Less than 100	IS1622-1981RA 2014

**Note:**

- 1) Sample Preserved @ 2-8°C, 2) N.S: Not Specified.  
3) BDL: Below Detection Limit, 4) <1 Indicates Absent.

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.

  
Tested by

  
Authorised Signatory



**Sagar  
Hospitals-DSI**

*With you, for life.*

(Unit of Mahatma Gandhi Vidyapeetha Trust)



To,

Date: 02.07.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore


Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of June - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

  
03/07/2020  
Authorized Signatory

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sci  
Kumaraswamy Layout,  
Bangalore - 560 078.





ग्लोबल इन्वोलुटिन्स

# Bangalore Analytical Research Center (P). Ltd.

ISO9001:2008,KSPCB

#37/143, 9<sup>th</sup> main road, 3<sup>rd</sup> phase,  
Peenya, Bangalore-560058,  
Tel: 080 41245999 Telefax: 41171185,  
e-mail: enquiry@barcindia.com,  
Web: www.barcindia.com

## TEST REPORT

Page : 1 of 1

**Address of the Customer:**

Sagar Hospitals,  
No.44/54,30th Cross,Tilak Nagar  
Jayanagar Extension,Bannerghatta Road  
Bangalore-560 041

**Report No.** WWD/2020/06/0613  
**Date of Receipt** 27/06/2020  
**Date of Analysis** 27/06/2020  
**Date of Completion** 01/07/2020  
**Date of Report** 01/07/2020  
**Job Order No.** WWD/2020/06/0613  
**Sampling Type** Grab  
**Sampling Point** After Filtration Tank  
**Your Reference** Verbal

**Sample Particulars** STP Treated water  
**Date of Sampling** 27/06/2020  
**Sample Qty.** 2Ltrs+250ml  
**Sample Marked** N.S

**Sample Description :** Colourless liquid having unobjectionable odor.

Sl. No.	Tests	Units	Result	Tolerance Limits as per KSPCB	Test Method
<b>Chemical Test-Environment</b>					
1	pH Value	---	7.7	6.5-9.0	IS3025(Part-11):1983(Reaff:2017)
2	Biochemical Oxygen Demand,3Days@27°C	mg/L	5.0	Not more than 10	IS3025(Part-44):1993(Reaff:2014)
3	Chemical Oxygen Demand as O <sub>2</sub>	mg/L	18.0	Not more than 50	IS3025(Part-58):2006(Reaff:2017)
4	Total Suspended Solids	mg/L	4.0	Not more than 20	IS3025(Part-17):1996(Reaff:2017)
5	Ammonical Nitrogen	mg/L	<1.0(BDL)	Not more than 5	IS3025(Part-34):1988(Reaff:2014)
6	Total Nitrogen as N	mg/L	6.0	Not more than 10	IS3025(Part-34):1988(Reaff:2014)
<b>Microbiological Test-Environment</b>					
1	Faecal Coliform	MPN/10 0ml	<1	Less than 100	IS1622-1981RA 2014

**Note:**

- 1)Sample Preserved@2-8°C,2)N.S:Not Specified.
- 3)BDL:Below Detection Limit,4)<1 Indicates Absent.

*H*  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science  
Kumaraswamy Layout,  
Bangalore - 560 078.

*Am*  
Tested by

*Am*  
Authorised Signatory





**Sagar  
Hospitals-DSI**

*We take care, for life.*

Trust of Mahatma Gandhi Vidyapeetha Trust

To,

Date: 02.06.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivnagar  
Bangalore

Dear Sir,

Sub: Submission of Monthly test report-Reg.

With reference to above subject, please find enclosed here with Monthly test report for the month of May - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

01/06/2020

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.





ग्लोबल इवोल्यूशन

# Bangalore Analytical Research Center (P). Ltd.

ISO9001:2008, KSPCB

#37/143, 9<sup>th</sup> main road, 3<sup>rd</sup> phase,  
Peenya, Bangalore-560058,  
Tel: 080 41245999 Telefax: 41171185,  
e-mail: enquiry@barcindia.com,  
Web: www.barcindia.com

Page : 1 of 1

## TEST REPORT

### Address of the Customer:

Sagar Hospitals,  
DSI-1, Kumaraswamy Layout  
Bengaluru.

Report No. WWD/2020/05/0470  
Date of Receipt 25/05/2020  
Date of Analysis 25/05/2020  
Date of Completion 30/05/2020  
Date of Report 30/05/2020  
Job Order No. WWD/2020/05/0470  
Sampling Type Grab  
Sampling Point After Filtration Tank  
Your Reference Verbal

Sample Particulars STP Treated water

Date of Sampling 25/05/2020

Sample Qty. 2Ltrs+250ml

Sample Marked N.S

Sample Description : Colourless liquid having unobjectionable odor.

Sl. No.	Tests	Units	Result	Tolerance Limits as per KSPCB	Test Method
Chemical Test-Environment					
1	pH Value	---	7.7	6.5-9.0	IS3025(Part-11):1983(Reaff:2017)
2	Biochemical Oxygen Demand, 3Days@27°C	mg/L	4.0	Not more than 10	IS3025(Part-44):1993(Reaff:2014)
3	Chemical Oxygen Demand as O <sub>2</sub>	mg/L	14.0	Not more than 50	IS3025(Part-58):2006(Reaff:2017)
4	Total Suspended Solids	mg/L	2.0	Not more than 20	IS3025(Part-17):1996(Reaff:2017)
5	Ammonical Nitrogen	mg/L	<1.0(BDL)	Not more than 5	IS3025(Part-34):1988(Reaff:2014)
6	Total Nitrogen as N	mg/L	5.0	Not more than 10	IS3025(Part-34):1988(Reaff:2014)
Microbiological Test-Environment					
1	Faecal Coliform	MPN/10 Oml	<1	Less than 100	IS1622-1981RA 2014

### Note:

- 1) Sample Preserved @ 2-8°C, 2) N.S: Not Specified.
- 3) BDL: Below Detection Limit, 4) <1 Indicates Absent.

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.

  
Tested by

  
Authorised Signatory

To,

Date: 02.03.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of Feb - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

  
Authorized Signatory

02/03/2020

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.





**PRASAD**  
ENVIRO LABS PRIVATE LIMITED



ISO 9001 : 2015 & OHSAS 18001-2007 CERTIFIED LABORATORY

Environmental Pollution Testing Services

10/3, 2nd Floor, Lalbagh Road, Richmond Circle, Bangalore - 560 027.

Tel : 2224 0989 Mobile : 98450 34677 E-mail : prasadenvirolabs@gmail.com www.prasadenvirolabs.com

**TEST CERTIFICATE**

**ANALYSIS REPORT OF SEWAGE WATER QUALITY**


Date of Sampling : 20.02.2020	Test Report No. PA/APC-9/2947-Feb/2020
Starting date of test 20.02.2020 Ending date of test: 25.02.2020	Date of Report: 25.02.2020
Name of the Industry: SAGAR HOSPITALS DSI - 1, Kumarswamy Layout, Bengaluru	Lab Ref: Data Sheet No. SM-8968/ Feb'2020
	Particulate of ample: Treated Water Sample of STP
	Sample collected by : By Customer


Sl. No	PARAMETERS	RESULTS	TOLERANCE LIMIT	TEST METHOD IS: REFERENCE
1.	pH Value	7.62	6.5 to 8.5	IS 3025: P-11
2.	BOD for 3 days @ 27°C, mg/l. Max	6.0	10.0	IS 3025: P-44
3.	Turbidity, in NTU	1.4	2.0	IS 3025: P-10
4.	Residual Chlorine, in mg/l	1.28	≥ 1	IS 3025: P-26
5.	Oil & Grease, in mg/l	< 0.1	10.0	IS 3025: P-39
6.	Total Suspended Solids, mg/l	9.0	30.0	IS 3025: P-17
7.	E. Coll, CFU/100ml	Absent	Absent	-

---End of Report---

  
**PRINCIPAL**  
Nayananda Sagar College of Dental Science  
Kumarswamy Layout,  
Bangalore - 560 073.

  
Analysed By

  
Verified by

  
Laboratory Head

- Note :
1. The results listed refer only to the tested samples & applicable parameters.
  2. In case of dispute our liability is limited to the billed amount received by us.
  3. Samples will be preserved for one week on request.
  4. This certificate shall not be reproduced in part or full and cannot be used as a evidence in the court of law.



**Sagar  
Hospitals-DSI**  
*With you, for life.*  
(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 03.02.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana",  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of Jan - 2020

Yours faithfully

For M/s SAGAR HOSPITAL

*[Handwritten Signature]*  
Authorized Signatory  
01/02/2020

*[Handwritten Signature]*  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.





# PRASAD

## ENVIRO LABS PRIVATE LIMITED



ISO 9001 : 2015 & OHSAS 18001-2007 CERTIFIED LABORATORY

### Environmental Pollution Testing Services

10/3, 2nd Floor, Lalbagh Road, Richmond Circle, Bangalore - 560 027.

Tel : 2224 0989 Mobile : 98450 34677 E-mail : prasadenvirolabs@gmail.com www.prasadenvirolabs.com

## TEST CERTIFICATE

### ANALYSIS REPORT OF SEWAGE WATER QUALITY


Date of Sampling : 21.01.2020	Test Report No. PA/APC-9/2177-Jan/2020
Starting date of test: 21.01.2020 Ending date of test: 27.01.2020	Date of Report: 27.01.2020
Name of the Industry: SAGAR HOSPITALS DSI - 1, Kumarswamy Layout, Bengaluru	Lab Ref: Data Sheet No. SM-7839/ Jan'2020 Particulate of ample: Treated Water Sample of STP Sample collected by : By Customer


Sl.No	PARAMETERS	RESULTS	TOLERANCE LIMIT	TEST METHOD IS: REFERENCE
1.	pH Value	7.51	6.5 to 8.5	IS 3025: P-11
2.	BOD for 3 days @ 27°C, mg/l. Max	4.0	10.0	IS 3025: P-44
3.	Turbidity, in NTU	1.3	2.0	IS 3025: P-10
4.	Residual Chlorine, in mg/l	1.23	≥ 1	IS 3025: P-26
5.	Oil & Grease, in mg/l	< 0.1	10.0	IS 3025: P-39
6.	Total Suspended Solids, mg/l	7.0	30.0	IS 3025: P-17
7.	E. Coli, CFU/100ml	Absent	Absent	--

---End of Report---

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Science,  
Kumarswamy Layout,  
Bangalore - 560 078.

  
Analysed By

  
Verified by

  
Laboratory Head

- Note :
1. The results listed refer only to the tested samples & applicable parameters.
  2. In case of dispute our liability is limited to the billed amount received by us.
  3. Samples will be preserved for one week on request.
  4. This certificate shall not be reproduced in part or full and cannot be used as a evidence in the court of law.



**Sagar  
Hospitals-DSI**

*With you, for life.*

(Unit of Mahatma Gandhi Vidya Peetha Trust)



To,

Date: 02.01.2020

The Environmental Officer  
Karnataka State Pollution Control Board  
Bangalore City South Zone,  
1 st floor, " Nisarga Bhavana";  
Thimmaiah Road, Shivanagar  
Bangalore

Dear Sir,

**Sub: Submission of Monthly test report-Reg.**

With reference to above subject, please find enclosed here with Monthly test report for the month of Dec - 2019

Yours faithfully

For M/s SAGAR HOSPITAL

  
10/01/2020  
Authorized Signatory

  
**PRINCIPAL**  
Deivananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 6





**PRASAD**  
**ENVIRO LABS PRIVATE LIMITED**



ISO 9001 : 2015 & OHSAS 18001-2007 CERTIFIED LABORATORY

**Environmental Pollution Testing Services**

10/3, 2nd Floor, Lalbagh Road, Richmond Circle, Bangalore - 560 027.

Tel : 22 24 0989 Mobile : 98450 34677 E-mail : prasadenvirolabs@gmail.com www.prasadenvirolabs.com

**TEST CERTIFICATE**

ANALYSIS REPORT OF SEWAGE WATER QUALITY

Date of Sampling : 18.12.2019	Test Report No. PA/APC-9/1250-Dec/2019
Starting date of test: 19.12.2019 Ending date of test: 23.12.2019	Date of Report: 23.12.2019
Name of the Industry: SAGAR HOSPITALS DSI - 1, Kumarswamy Layout, Bengaluru	Lab Ref: Data Sheet No. SM-6515/ Dec'19
	Particulate of ample: Treated Water Sample of STP
	Sample collected by : By Customer

Sl.No	PARAMETERS	RESULTS	TOLERANCE LIMIT	TEST METHOD IS: REFERENCE
1.	pH Value	7.59	6.5 to 8.5	IS 3025: P-11
2	BOD for 3 days @ 27°C, mg/l Max	6.0	10.0	IS 3025: P-44
3.	Turbidity, in NTU	1.2	2.0	IS 3025: P-10
4.	Residual Chlorine, in mg/l	1.18	≥ 1	IS 3025: P-26
5.	Oil & Grease, in mg/l	< 0.1	10.0	IS 3025: P-39
6.	Total Suspended Solids, -mg/l	9.0	30.0	IS 3025: P-17
7.	E. Coli, CFU/100ml	Absent	Absent	-

---End of Report---

*H*  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumarswamy Layout,  
Bangalore - 560 027

*V.J.L.*  
Analysed By

*V.B.L.S.*  
Verified by

*V.B.L.S.*  
Laboratory Head


- Note :
1. The results listed refer only to the tested samples & applicable parameters.
  2. In case of dispute our liability is limited to the billed amount received by us.
  3. Samples will be preserved for one week on request.
  4. This certificate shall not be reproduced in part or full and cannot be used as a evidence in the court of law.






**BI MONTHLY MAINTENANCE OF WATER BODIES 2022**

SL NO	MONTH	MAINTENANCE DONE : YES / NO	
1	JANUARY	1-01	Yes
		15-01	Yes
2	FEBRUARY	1-02	Yes
		15-02	Yes
3	MARCH	1-03	Yes
		15-03	Yes
4	APRIL	1-04	Yes
		15-04	Yes
5	MAY	2-05	Yes
		16-05	Yes
6	JUNE	1-06	Yes
		15-06	Yes
7	JULY	1-07	Yes
		15-07	Yes
8	AUGUST	1-08	Yes
		15-08	Yes
9	SEPTEMBER	1-09	Yes
		15-09	Yes
10	OCTOBER	1-10	Yes
		15-10	Yes
11	NOVEMBER	2-11	Yes
		16-11	Yes
12	DECEMBER	1-12	Yes
		15-12	Yes

  
Facility Incharge, DSI

**FACILITY DEPARTMENT**  
Dayananda Sagar Institutions  
Shavige Malleshwara Hills,  
Kumaraswamy Layout,  
Bangalore - 560 078

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



**BI MONTHLY MAINTENANCE OF WATER BODIES 2021**

SL NO	MONTH	MAINTENANCE DONE : YES / NO	
1	JANUARY	1-01	yes
		15-01	yes
2	FEBRUARY	1-02	yes
		15-02	yes
3	MARCH	1-03	yes
		15-03	yes
4	APRIL	1-04	yes
		15-04	yes
5	MAY	1-05	yes
		15-05	yes
6	JUNE	1-06	yes
		15-06	yes
7	JULY	1-07	yes
		15-07	yes
8	AUGUST	2-08	yes
		16-08	yes
9	SEPTEMBER	1-09	yes
		15-09	yes
10	OCTOBER	1-10	yes
		15-10	yes
11	NOVEMBER	2-11	yes
		16-11	yes
12	DECEMBER	1-12	yes
		15-12	yes

Facility Incharge, DSI

**FACILITY DEPARTMENT**  
Dayananda Sagar Institutions  
Shavige Malleshwara Hills,  
Kumaraswamy Layout,  
Bengaluru - 560 078

PRINCIPAL  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bengaluru - 560 078.



**BI MONTHLY MAINTENANCE OF WATER BODIES 2020**

SL NO	MONTH	MAINTENANCE DONE : YES / NO	
1	JANUARY	1-01	Yes
		15-01	Yes
2	FEBRUARY	1-02	Yes
		15-02	Yes
3	MARCH	2-03	Yes
		16-03	Yes
4	APRIL	1-04	Yes
		15-04	Yes
5	MAY	1-05	Yes
		15-05	Yes
6	JUNE	1-06	Yes
		15-06	Yes
7	JULY	1-07	Yes
		15-07	Yes
8	AUGUST	1-08	Yes
		15-08	Yes
9	SEPTEMBER	1-09	Yes
		15-09	Yes
10	OCTOBER	1-10	Yes
		15-10	Yes
11	NOVEMBER	2-11	Yes
		16-11	Yes
12	DECEMBER	1-12	Yes
		15-12	Yes

Facility Incharge, DSI

**FACILITY DEPARTMENT**  
Dayananda Sagar Institutions  
Shavige Malleshwara Hills,  
Kumaraswamy Layout,  
Bangalore - 560 078

**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



**BI MONTHLY MAINTENANCE OF WATER BODIES 2019**

SL NO	MONTH	MAINTENANCE DONE : YES / NO	
1	JANUARY	1-01	yes
		15-01	yes
2	FEBRUARY	1-02	yes
		15-02	yes
3	MARCH	1-03	yes
		15-03	yes
4	APRIL	2-04	yes
		16-04	yes
5	MAY	1-05	yes
		15-05	yes
6	JUNE	1-06	yes
		15-06	yes
7	JULY	2-07	yes
		16-07	yes
8	AUGUST	1-08	yes
		15-08	yes
9	SEPTEMBER	2-09	yes
		16-09	yes
10	OCTOBER	1-10	yes
		15-10	yes
11	NOVEMEBR	1-11	yes
		15-11	yes
12	DECEMBER	2-12	yes
		16-12	yes

  
Facility Incharge, DSI

**FACILITY DEPARTMENT**  
Dayananda Sagar Institutions  
Shavige Malleshwara Hills,  
Kumaraswamy Layout,  
Bengaluru - 560 078

  
**PRINCIPAL**  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bengaluru - 560 078.



**BI MONTHLY MAINTENANCE OF WATER BODIES 2018**

SL NO	MONTH	MAINTENANCE DONE : YES / NO	
1	JANUARY	1-01	Yes
		15-01	YES
2	FEBRUARY	1-02	YES
		15-02	YES
3	MARCH	1-03	YES
		15-03	YES
4	APRIL	2-04	YES
		16-04	YES
5	MAY	1-05	YES
		15-05	YES
6	JUNE	1-06	YES
		15-06	YES
7	JULY	2-07	YES
		16-07	YES
8	AUGUST	1-08	YES
		15-08	YES
9	SEPTEMBER	1-09	YES
		15-09	YES
10	OCTOBER	3-10	YES
		17-10	YES
11	NOVEMEBR	1-11	YES
		15-11	YES
12	DECEMBER	1-12	YES
		15-12	YES

  
Facility Incharge, DSI

FACILITY DEPARTMENT  
Dayananda Sagar Institutions  
Shavige Malleshwara Hills,  
Kumaraswamy Layout,  
Bengaluru - 560 078

  
PRINCIPAL  
Dayananda Sagar College of Dental Sciences  
Kumaraswamy Layout,  
Bangalore - 560 078.



**BI MONTHLY MAINTENANCE OF WATER BODIES 2017**

SL NO	MONTH	MAINTENANCE DONE: YES / NO	
1	JANUARY	2-01	yes
		16-01	yes
2	FEBRUARY	1-02	yes
		15-02	yes
3	MARCH	1-03	yes
		15-03	yes
4	APRIL	1-04	yes
		15-04	yes
5	MAY	1-05	yes
		15-05	yes
6	JUNE	1-06	yes
		15-06	yes
7	JULY	1-07	yes
		15-07	yes
8	AUGUST	1-08	yes
		15-08	yes
9	SEPTEMBER	1-09	yes
		15-09	yes
10	OCTOBER	3-10	yes
		17-10	yes
11	NOVEMEBR	2-11	yes
		16-11	yes
12	DECEMBER	1-12	yes
		15-12	yes

*[Signature]*  
Facility Incharge, DSI

**FACILITY DEPARTMENT**  
Dayananda Sagar Institutions  
Shavige Malleshwara Hills,  
Kumaraswamy Layout,  
BANGALORE - 560 078

*[Signature]*  
**PRINCIPAL**  
Dayananda Sagar College of Medical Sciences  
Kumaraswamy Layout,  
Bengaluru - 560 078.